AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1	1. (Currently amended) A method for synchronizing object caches, the
2	method comprising:
3	changing a first object in a first system, a second object in a second
4	system, and a third object in a third system, wherein each object contains at least
5	one unchanged attribute;
6	determining a first object change set, a second object change set, and a
7	third object change set, which represent the changes made to the first object, the
8	second object, and the third object, respectively, and wherein an object change set
9	contains an attribute if and only if the attribute has been changed;
10	sending the first object change set from the first system directly to the
11	second system and directly to the third system, which causes the second system to
12	use a second merging unit and the third system to use a third merging unit,
13	respectively, to apply the first object change set to the corresponding objects in the
14	second system and the third system, respectively;
15	sending the second object change set from the second system directly to
16	the third system and directly to the first system, which causes the third system to
17	use a-the third merging unit and the first system to use a first merging unit,
18	respectively, to apply the second object change set to the corresponding objects in
19	the third system and the first system, respectively; and
20	sending the third object change set from the third system directly to the
21	first system and directly to the second system, which causes the first system to use

22	athe first merging unit and the second system to use the second merging unit,
23	respectively, to apply the third object change set to the corresponding objects in
24	the first system and the second system, respectively.
1	2. (Previously presented) The method as claimed in claim 1 further

- 2. (Previously presented) The method as claimed in claim 1 further comprising a step of establishing a communication link between the first system and the second system wherein the sending step sends the first object change set from the first system to the second system through the communication link.
- 3. (Original) The method as claimed in claim 2 wherein the establishing step establishes the communication link based on a publish/subscribe protocol.
- 1 4. (Canceled).

2

3

4

1

- 5. (Previously presented) The method as claimed in claim 1 further comprising a step of sending the first object change set to a database for updating the corresponding object in the database.
 - 6. (Previously presented) The method as claimed in claim 5 further comprising the steps of:
- receiving an error message from the database if the updating of the corresponding object in the database fails; and
- discarding the first object change set prior to the sending step in response to the error message.
- 1 7. (Canceled).
- 1 8. (Canceled).

1	9. (Canceled).
1	10. (Canceled).
1	11. (Canceled).
1	12. (Currently amended) A method for synchronizing object caches, the
2	method comprising:
3	receiving a first object change set at a first system, a second object change
4	set at a second system, and a third object change set at a third system, which
5	represent the changes made to a first object on the first system, a second object on
6	the second system, and a third object on the third system, respectively;
7	wherein each object contains at least one unchanged attribute, and wherein
8	an object change set contains an attribute if and only if the attribute has been
9	changed;
10	sending the first object change set from the first system directly to the
11	second system and directly to the third system, which causes the second system to
12	use a second merging unit and the third system to use a third merging unit,
13	respectively, to apply the first object change set to the corresponding objects in the
14	second system and the third system, respectively;
15	sending the second object change set from the second system directly to
16	the third system and directly to the first system, which causes the third system to
17	use a-the third merging unit and the first system to use a first merging unit,
18	respectively, to apply the second object change set to the corresponding objects in
19	the third system and the first system, respectively; and
20	sending the third object change set from the third system directly to the
21	first system and directly to the second system, which causes the first system to use

22	a-the first merging unit and the second system to use the second merging unit,
23	respectively, to apply the third object change set to the corresponding objects in
24	the first system and the second system, respectively.
1	13. (Previously presented) The method as claimed in claim 12 further
2	comprising a step of establishing a communication link between the first system
3	and the second system wherein the sending step sends the first object change set
4	from the first system to the second system through the communication link.
1	14. (Canceled).
1	15. (Previously presented) The method as claimed in claim 12 further
2	comprising a step of sending the first object change set from the first system to a
3	database for updating the corresponding object in the database.
1	16. (Previously presented) The method as claimed in claim 15 further
2	comprising the steps of:
3	receiving an error message from the database if the updating of the
4	corresponding object in the database fails; and
5	discarding the first object change set prior to the sending step in
6	response to the error message.
1	17. (Canceled).
1	18. (Canceled).

19. (Canceled).

- 1 20. (Canceled).
- 1 21. (Canceled).
- 1 22. (Canceled).
- 1 23. (Canceled).
- 1 24. (Canceled).
- 1 25. (Canceled).
- 1 26. (Canceled).
- 1 27. (Canceled).
- 1 28. (Canceled).
- 1 29. (Canceled).
- 1 30. (Canceled).
- 1 31. (Canceled).
- 1 32. (Currently amended) A computer-readable storage-medium storing
- 2 instructions that when executed by a computer cause the computer to perform a
- 3 method for synchronizing object caches, the method comprising:

4	receiving a first object change set at a first system, a second object change
5	set at a second system, and a third object change set at a third system, which
6	represent the changes made to a first object on the first system, a second object on
7	the second system, and a third object on the third system, respectively;
8	wherein each object contains at least one unchanged attribute, and wherein
9	an object change set contains an attribute if and only if the attribute has been
10	changed;
11	sending the first object change set from the first system directly to the
12	second system and directly to the third system, which causes the second system to
13	use a second merging unit and the third system to use a third merging unit,
14	respectively, to apply the first object change set to the corresponding objects in the
15	second system and the third system, respectively;
16	sending the second object change set from the second system directly to
17	the third system and directly to the first system, which causes the third system to
18	use a-the third merging unit and the first system to use a first merging unit,
19	respectively, to apply the second object change set to the corresponding objects in
20	the third system and the first system, respectively; and
21	sending the third object change set from the third system directly to the
22	first system and directly to the second system, which causes the first system to use
23	a-the first merging unit and the second system to use the second merging unit,
24	respectively, to apply the third object change set to the corresponding objects in
25	the first system and the second system, respectively.
1	33. (Canceled).

34. (Canceled).